

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

May 19, 2026

[REDACTED]
REDSTONE PRESBYTERIAN SENIORCARE
[REDACTED]

RE: REDSTONE HIGHLANDS
12921 REDSTONE DRIVE
NORTH HUNTINGDON, PA, 15642
LICENSE/COC#: 44337

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/08/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: REDSTONE HIGHLANDS License #: 44337 License Expiration: 06/17/2026
 Address: 12921 REDSTONE DRIVE, NORTH HUNTINGDON, PA 15642
 County: WESTMORELAND Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: REDSTONE PRESBYTERIAN SENIORCARE
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 05/21/2023 Issued By: L&I
 Type: I-2 Date: 05/21/2021 Issued By: N. Huntingdon Twp.

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 89 Waking Staff: 67

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint, Incident Exit Conference Date: 05/08/2026

Inspection Dates and Department Representative

05/08/2026 - On-Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 54 Residents Served: 51
 Secured Dementia Care Unit
 In Home: Yes Area: 2nd Floor Capacity: 20 Residents Served: 20
 Hospice
 Current Residents: 8
 Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 51
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 38 Have Physical Disability: 1

Inspections / Reviews

05/08/2026 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND