

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

May 14, 2026

[REDACTED]
HIGHLAND PARK SENIOR LIVING LLC
[REDACTED]

RE: HIGHLAND PARK SENIOR LIVING
874 SCHECHTER DRIVE
WILKES-BARRE TOWNSHI, PA, 18702
LICENSE/COC#: 22630

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/12/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: HIGHLAND PARK SENIOR LIVING License #: 22630 License Expiration: 02/18/2027
Address: 874 SCHECHTER DRIVE, WILKES BARRE TOWNSHI, PA 18702
County: LUZERNE Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: HIGHLAND PARK SENIOR LIVING LLC
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 30 Total Daily Staff: 151 Waking Staff: 113

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Complaint Exit Conference Date: 05/12/2026

Inspection Dates and Department Representative

05/12/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information			
License Capacity: 160	Residents Served: 91		
Secured Dementia Care Unit			
In Home: Yes	Area: Bridges	Capacity: 24	Residents Served: 21
Hospice			
Current Residents: 1			
Number of Residents Who:			
Receive Supplemental Security Income: 0	Are 60 Years of Age or Older: 91		
Diagnosed with Mental Illness: 0	Diagnosed with Intellectual Disability: 0		
Have Mobility Need: 30	Have Physical Disability: 1		

Inspections / Reviews

05/12/2026 Partial
Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND