

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY PUBLIC

May 15, 2026

[REDACTED]  
GRAYSTONE MANOR BELLMEADE, LLC  
[REDACTED]  
[REDACTED]

RE: GRAYSTONE MANOR AT  
BELLMEADE  
1929 EAST PLEASANT VALLEY BLVD  
ALTOONA, PA, 16602  
LICENSE/COC#: 33222

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/12/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: GRAYSTONE MANOR AT BELLMEADE License #: 33222 License Expiration: 10/19/2026  
 Address: 1929 EAST PLEASANT VALLEY BLVD, ALTOONA, PA 16602  
 County: BLAIR Region: CENTRAL

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: GRAYSTONE MANOR BELLMEADE, LLC  
 Address: [REDACTED]  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

Type: C-2 LP Date: 01/16/2014 Issued By: Department of Labor and Industry

**Staffing Hours**

Resident Support Staff: 0 Total Daily Staff: 67 Waking Staff: 50

**Inspection Information**

Type: Partial Notice: Unannounced BHA Docket #:  
 Reason: Incident Exit Conference Date: 05/12/2026

**Inspection Dates and Department Representative**

05/12/2026 - On-Site: [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information  
 License Capacity: 75 Residents Served: 56  
 Secured Dementia Care Unit  
 In Home: No Area: Capacity: Residents Served:  
 Hospice  
 Current Residents: 3  
 Number of Residents Who:  
 Receive Supplemental Security Income: 1 Are 60 Years of Age or Older: 55  
 Diagnosed with Mental Illness: 2 Diagnosed with Intellectual Disability: 0  
 Have Mobility Need: 11 Have Physical Disability: 0

**Inspections / Reviews**

05/12/2026 Partial  
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND