



Pennsylvania
Department of Human Services

CERTIFIED MAIL – RETURN RECEIPT REQUESTED
MAILING DATE: MAY 20, 2026

[REDACTED]
6816 West Lake Road
Fairview, PA 16415

RE: Neurorestorative Pennsylvania
License/COC #: 44663

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Services Licensing, (Department), licensing inspection on 5/12/26 of the above facility, that is operating pending an appeal, no violations were found with 55 Pa. Code Ch. 2600 (relating to Personal Care Homes)

In accordance with the Department's Bureau of Human Services Licensing administrative procedures, continued compliance with 55 Pa.Code Ch. 2600 must be maintained.

Sincerely,

Juliet Marsala
Deputy Secretary
Office of Long-term Living

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

Facility Information

Name: *NEURORESTORATIVE PENNSYLVANIA* License #: *44663* License Expiration: *09/26/2024*
Address: *6816 WEST LAKE ROAD, FAIRVIEW, PA 16415*
County: *ERIE* Region: *WESTERN*

Administrator

Name: [REDACTED]

Legal Entity

Name: *MENTOR ABI LLC*
Address: *6816 WEST LAKE ROAD, FAIRVIEW, PA, 16415*
Phone: [REDACTED]

Certificate(s) of Occupancy

Type: *I-1* Date: *01/26/2015* Issued By: *Fairview Township*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *13* Waking Staff: *10*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
Reason: *Monitoring* Exit Conference Date: *05/12/2026*

Inspection Dates and Department Representative

05/12/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: *8* Residents Served: *7*

Secured Dementia Care Unit

In Home: *No* Area: Capacity: Residents Served:

Hospice

Current Residents: *0*

Number of Residents Who:

Receive Supplemental Security Income: *5* Are 60 Years of Age or Older: *1*
Diagnosed with Mental Illness: *7* Diagnosed with Intellectual Disability: *0*
Have Mobility Need: *6* Have Physical Disability: *6*

Inspections / Reviews

05/12/2026 Partial

Lead Inspector: [REDACTED] Follow-Up Type: *Exception*

NO DEFICIENCIES FOUND