

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

May 28, 2026

[REDACTED]
ALEXANDRIA MANOR OF ALLENTOWN, INC.
[REDACTED]

RE: ALEXANDRIA MANOR OF
ALLENTOWN - BETHLEHEM
CAMPUS
3534 LINDEN STREET
BETHLEHEM, PA, 18017
LICENSE/COC#: 21456

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/14/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: ALEXANDRIA MANOR OF ALLENTOWN - BETHLEHEM CAMPUS **License #:** 21456 **License Expiration:** 06/12/2026

Address: 3534 LINDEN STREET, BETHLEHEM, PA 18017

County: NORTHAMPTON

Region: NORTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: ALEXANDRIA MANOR OF ALLENTOWN, INC.

Address: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP

Date: 04/04/2006

Issued By: L&I

Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 39

Waking Staff: 29

Inspection Information

Type: Partial

Notice: Unannounced

BHA Docket #:

Reason: Complaint

Exit Conference Date: 05/14/2026

Inspection Dates and Department Representative

05/14/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 58

Residents Served: 38

Secured Dementia Care Unit

In Home: No

Area:

Capacity:

Residents Served:

Hospice

Current Residents: 1

Number of Residents Who:

Receive Supplemental Security Income: 0

Are 60 Years of Age or Older: 38

Diagnosed with Mental Illness: 0

Diagnosed with Intellectual Disability: 0

Have Mobility Need: 1

Have Physical Disability: 0

Inspections / Reviews

05/14/2026 Partial

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND