

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

May 28, 2026

[REDACTED]
MAGNOLIA LEXI, LLC
[REDACTED]
[REDACTED]

RE: MAGNOLIA PERSONAL CARE
CENTER-BUILDING II
68 LEXI STREET
MIFFLINTOWN, PA, 17059
LICENSE/COC#: 33873

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/14/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: MAGNOLIA PERSONAL CARE CENTER-BUILDING II License #: 33873 License Expiration: 03/22/2027
Address: 68 LEXI STREET, MIFFLINTOWN, PA 17059
County: JUNIATA Region: CENTRAL

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: MAGNOLIA LEXI, LLC
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 07/17/1991 Issued By: Labor and Industry
Type: C-2 LP Date: 01/29/1988 Issued By: Labor and Industry

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 31 Waking Staff: 23

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Complaint Exit Conference Date: 05/14/2026

Inspection Dates and Department Representative

05/14/2026 - On-Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information				
License Capacity:	31	Residents Served:	31	
Secured Dementia Care Unit				
In Home:	No	Area:	Capacity:	Residents Served:
Hospice				
Current Residents:	1			
Number of Residents Who:				
Receive Supplemental Security Income:	21	Are 60 Years of Age or Older:	27	
Diagnosed with Mental Illness:	6	Diagnosed with Intellectual Disability:	3	
Have Mobility Need:	0	Have Physical Disability:	0	

Inspections / Reviews

05/14/2026 Partial
Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND