

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

June 5, 2026

[REDACTED]
CONCORDIA OF CENTRAL PENNSYLVANIA D/B/A CONCORDIA AT SPIRITRUST SHREWSBURY
[REDACTED]

RE: CONCORDIA AT SPIRITRUST
SHREWSBURY
800 BOLLINGER DRIVE
SHREWSBURY, PA, 17361
LICENSE/COC#: 34108

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/20/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: CONCORDIA AT SPIRITRUST SHREWSBURY

License #: 34108

License Expiration:

Address: 800 BOLLINGER DRIVE, SHREWSBURY, PA 17361

County: YORK

Region: CENTRAL

Administrator

Name: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Legal Entity

Name: CONCORDIA OF CENTRAL PENNSYLVANIA D/B/A CONCORDIA AT SPIRITRUST SHREWSBURY

Address: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP

Date: 12/21/1999

Issued By: Department of Labor and Industry

Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 36

Waking Staff: 27

Inspection Information

Type: Partial

Notice: Announced

BHA Docket #:

Reason: Change Legal Entity

Exit Conference Date: 05/20/2026

Inspection Dates and Department Representative

05/20/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity:

Residents Served: 30

Secured Dementia Care Unit

In Home: No

Area:

Capacity:

Residents Served:

Hospice

Current Residents: 3

Number of Residents Who:

Receive Supplemental Security Income: 0

Are 60 Years of Age or Older: 30

Diagnosed with Mental Illness: 0

Diagnosed with Intellectual Disability: 0

Have Mobility Need: 6

Have Physical Disability: 0

Inspections / Reviews

05/20/2026 Partial

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND