

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

June 9, 2026

[REDACTED]
SAINT MARY'S HOME OF ERIE
[REDACTED]
[REDACTED]

RE: SAINT MARY'S AT ASBURY RIDGE
4855 WEST RIDGE ROAD
ERIE, PA, 16506
LICENSE/COC#: 41342

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/20/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: SAINT MARY'S AT ASBURY RIDGE

License #: 41342

License Expiration: 10/15/2026

Address: 4855 WEST RIDGE ROAD, ERIE, PA 16506

County: ERIE

Region: WESTERN

Administrator

Name: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Legal Entity

Name: SAINT MARY'S HOME OF ERIE

Address: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP

Date: 07/12/2006

Issued By: Dept. of Labor & Industry

Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 82

Waking Staff: 62

Inspection Information

Type: Partial

Notice: Unannounced

BHA Docket #:

Reason: Incident

Exit Conference Date: 05/20/2026

Inspection Dates and Department Representative

05/20/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 164

Residents Served: 57

Secured Dementia Care Unit

In Home: Yes

Area: 1st Floor

Capacity: 16

Residents Served: 15

Hospice

Current Residents: 0

Number of Residents Who:

Receive Supplemental Security Income: 0

Are 60 Years of Age or Older: 57

Diagnosed with Mental Illness: 0

Diagnosed with Intellectual Disability: 0

Have Mobility Need: 25

Have Physical Disability: 0

Inspections / Reviews

05/20/2026 Partial

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND