

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

June 4, 2026

[REDACTED]
MOS GRACE MGT LLC
[REDACTED]

RE: GRACE MANOR AT NORTH PARK
9565 BABCOCK BOULEVARD
ALLISON PARK, PA, 15101
LICENSE/COC#: 45085

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/21/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: GRACE MANOR AT NORTH PARK **License #:** 45085 **License Expiration:** 02/03/2027
Address: 9565 BABCOCK BOULEVARD, ALLISON PARK, PA 15101
County: ALLEGHENY **Region:** WESTERN

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: MOS GRACE MGT LLC
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Type: I-2 **Date:** 11/18/2010 **Issued By:** Town of McCandless

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 76 **Waking Staff:** 57

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Complaint **Exit Conference Date:** 05/21/2026

Inspection Dates and Department Representative

05/21/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information			
License Capacity: 67		Residents Served: 41	
Secured Dementia Care Unit			
In Home: Yes	Area: 3rd floor	Capacity: 25	Residents Served: 19
Hospice			
Current Residents: 7			
Number of Residents Who:			
Receive Supplemental Security Income: 0		Are 60 Years of Age or Older: 41	
Diagnosed with Mental Illness: 1		Diagnosed with Intellectual Disability: 0	
Have Mobility Need: 35		Have Physical Disability: 1	

Inspections / Reviews

05/21/2026 Partial
Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND