

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

June 17, 2026

[REDACTED]
BEAVER FALLS PA SLC TENANT LLC

[REDACTED]
TWO NEWTON PLACE
[REDACTED]

RE: FRANCISCAN MANOR
71 DARLINGTON ROAD
BEAVER FALLS, PA, 15010
LICENSE/COC#: 45696

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/27/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *FRANCISCAN MANOR* License #: *45696* License Expiration: *12/17/2026*
 Address: *71 DARLINGTON ROAD, BEAVER FALLS, PA 15010*
 County: *BEAVER* Region: *WESTERN*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *BEAVER FALLS PA SLC TENANT LLC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C-2 LP* Date: *05/19/1998* Issued By: *Dept L & I*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *97* Waking Staff: *73*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #: [REDACTED]
 Reason: *Complaint* Exit Conference Date: *05/27/2026*

Inspection Dates and Department Representative

05/27/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *119* Residents Served: *87*

Secured Dementia Care Unit
 In Home: *No* Area: [REDACTED] Capacity: [REDACTED] Residents Served: [REDACTED]

Hospice
 Current Residents: *13*

Number of Residents Who:
 Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *87*
 Diagnosed with Mental Illness: *19* Diagnosed with Intellectual Disability: *0*
 Have Mobility Need: *10* Have Physical Disability: *0*

Inspections / Reviews

05/27/2026 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND