

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

May 29, 2026

[REDACTED]
TREE OF LIFE PERSONAL CARE HOME
[REDACTED]
[REDACTED]

RE: TREE OF LIFE PERSONAL CARE
HOME
236 NORTH RAILROAD STREET
HANOVER, PA, 17331
LICENSE/COC#: 33854

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/28/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: TREE OF LIFE PERSONAL CARE HOME License #: 33854 License Expiration: 04/24/2027
Address: 236 NORTH RAILROAD STREET, HANOVER, PA 17331
County: YORK Region: CENTRAL

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: TREE OF LIFE PERSONAL CARE HOME
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: I-1 Date: 01/28/2026 Issued By: Borough of Hanover

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 29 Waking Staff: 22

Inspection Information

Type: Partial Notice: Announced BHA Docket #:
Reason: New Exit Conference Date: 05/28/2026

Inspection Dates and Department Representative

05/28/2026 - On-Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 52 Residents Served: 27

Secured Dementia Care Unit

In Home: Yes Area: 2nd and 3rd floors Capacity: 27 Residents Served: 0

Hospice

Current Residents: 0

Number of Residents Who:

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 27
Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
Have Mobility Need: 2 Have Physical Disability: 0

Inspections / Reviews

05/28/2026 Partial

Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND