

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

June 5, 2026

[REDACTED]
CONCORDIA LUTHERAN HEALTH AND HUMAN CARE
[REDACTED]
[REDACTED]

RE: CONCORDIA LUTHERAN HEALTH
AND HUMAN CARE - LUND
BUILDING
134 MARWOOD ROAD
CABOT, PA, 16023
LICENSE/COC#: 44762

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 06/01/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: CONCORDIA LUTHERAN HEALTH AND HUMAN CARE - License #: 44762 License Expiration: 10/27/2026
LUND BUILDING
Address: 134 MARWOOD ROAD, CABOT, PA 16023
County: BUTLER **Region:** WESTERN

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: CONCORDIA LUTHERAN HEALTH AND HUMAN CARE
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 234 **Waking Staff:** 176

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Complaint, Incident **Exit Conference Date:** 06/01/2026

Inspection Dates and Department Representative

06/01/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
License Capacity: 232 **Residents Served:** 199
Secured Dementia Care Unit
In Home: No **Area:** **Capacity:** **Residents Served:**
Hospice
Current Residents: 33
Number of Residents Who:
Receive Supplemental Security Income: 0 **Are 60 Years of Age or Older:** 198
Diagnosed with Mental Illness: 1 **Diagnosed with Intellectual Disability:** 0
Have Mobility Need: 35 **Have Physical Disability:** 1

Inspections / Reviews

06/01/2026 Partial
Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND