

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

June 24, 2026

[REDACTED]
PHOEBE HOME INCORPORATED
[REDACTED]
[REDACTED]

RE: MILLER PERSONAL CARE AT 19TH
AND CHEW
1925 TURNER STREET
ALLENTOWN, PA, 18104
LICENSE/COC#: 21617

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 06/03/2026, 06/05/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: MILLER PERSONAL CARE AT 19TH AND CHEW

License #: 21617

License Expiration: 01/13/2027

Address: 1925 TURNER STREET, ALLENTOWN, PA 18104

County: LEHIGH

Region: NORTHEAST

Administrator

Name:

Phone:

Email:

Legal Entity

Name: PHOEBE HOME INCORPORATED

Address:

Phone:

Email:

Certificate(s) of Occupancy

Type: C-2 LP

Date: 02/09/1988

Issued By: Dept L&I

Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 81

Waking Staff: 61

Inspection Information

Type: Partial

Notice: Unannounced

BHA Docket #:

Reason: Incident

Exit Conference Date: 06/03/2026

Inspection Dates and Department Representative

06/03/2026 - On-Site

06/05/2026 - Off-Site

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 60

Residents Served: 46

Secured Dementia Care Unit

In Home: No

Area:

Capacity:

Residents Served:

Hospice

Current Residents: 2

Number of Residents Who:

Receive Supplemental Security Income: 0

Are 60 Years of Age or Older: 46

Diagnosed with Mental Illness: 0

Diagnosed with Intellectual Disability: 0

Have Mobility Need: 35

Have Physical Disability: 1

Inspections / Reviews

06/03/2026 Partial

Lead Inspector:

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND