

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

June 16, 2026

[REDACTED]
RENAISSANCE HOME FORKS LLC
[REDACTED]

RE: RENAISSANCE HOME FORKS
2222 SULLIVAN TRAIL
EASTON, PA, 18040
LICENSE/COC#: 22692

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 06/04/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *RENAISSANCE HOME FORKS* License #: *22692* License Expiration: *05/23/2027*
 Address: *2222 SULLIVAN TRAIL, EASTON, PA 18040*
 County: *NORTHAMPTON* Region: *NORTHEAST*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *RENAISSANCE HOME FORKS LLC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *Other* Date: *09/24/2019* Issued By: *Forks Township*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *33* Waking Staff: *25*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Incident* Exit Conference Date: *06/04/2026*

Inspection Dates and Department Representative

06/04/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: *61* Residents Served: *27*

Secured Dementia Care Unit

In Home: *No* Area: Capacity: Residents Served:

Hospice

Current Residents: *2*

Number of Residents Who:

Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *26*
 Diagnosed with Mental Illness: *2* Diagnosed with Intellectual Disability: *0*
 Have Mobility Need: *6* Have Physical Disability: *0*

Inspections / Reviews

06/04/2026 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND