

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

June 29, 2026

[REDACTED]
EC OPCO LOYALSOCK LLC

[REDACTED]
EC OPCO LOYALSOCK, LLC
[REDACTED]

RE: CELEBRATION VILLA OF LOYALSOCK
2985 FOUR MILE DRIVE
MONTTOURSVILLE, PA, 17754
LICENSE/COC#: 22719

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 06/09/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: CELEBRATION VILLA OF LOYALSOCK

License #: 22719

License Expiration: 07/03/2026

Address: 2985 FOUR MILE DRIVE, MONTOURSVILLE, PA 17754

County: LYCOMING

Region: NORTHEAST

Administrator

Name: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Legal Entity

Name: EC OPCO LOYALSOCK LLC

Address: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP

Date: 09/22/1999

Issued By: L&I

Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 62

Waking Staff: 47

Inspection Information

Type: Partial

Notice: Unannounced

BHA Docket #:

Reason: Incident

Exit Conference Date: 06/09/2026

Inspection Dates and Department Representative

06/09/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 90

Residents Served: 47

Secured Dementia Care Unit

In Home: No

Area:

Capacity:

Residents Served:

Hospice

Current Residents: 3

Number of Residents Who:

Receive Supplemental Security Income: 0

Are 60 Years of Age or Older: 47

Diagnosed with Mental Illness: 0

Diagnosed with Intellectual Disability: 0

Have Mobility Need: 15

Have Physical Disability: 0

Inspections / Reviews

06/09/2026 Partial

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND