

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

July 6, 2026

[REDACTED]
WOLF RUN VILLAGE LLC
[REDACTED]

RE: WOLF RUN VILLAGE
3750 ROUTE 220 HIGHWAY
HUGHESVILLE, PA, 17737
LICENSE/COC#: 22149

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 06/10/2026, 06/26/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: WOLF RUN VILLAGE

License #: 22149

License Expiration: 07/24/2026

Address: 3750 ROUTE 220 HIGHWAY, HUGHESVILLE, PA 17737

County: LYCOMING

Region: NORTHEAST

Administrator

Name: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Legal Entity

Name: WOLF RUN VILLAGE LLC

Address: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Certificate(s) of Occupancy

Type: I-2

Date: 11/12/2009

Issued By: L&I

Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 57

Waking Staff: 43

Inspection Information

Type: Partial

Notice: Unannounced

BHA Docket #:

Reason: Complaint

Exit Conference Date: 06/10/2026

Inspection Dates and Department Representative

06/10/2026 - On-Site: [REDACTED]

06/26/2026 - Off-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 75

Residents Served: 55

Secured Dementia Care Unit

In Home: No

Area:

Capacity:

Residents Served:

Hospice

Current Residents: 5

Number of Residents Who:

Receive Supplemental Security Income: 0

Are 60 Years of Age or Older: 55

Diagnosed with Mental Illness: 0

Diagnosed with Intellectual Disability: 0

Have Mobility Need: 2

Have Physical Disability: 1

Inspections / Reviews

06/10/2026 Partial

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND