

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

July 15, 2026

[REDACTED]
SHENANGO PRESBYTERIAN SENIORCARE
[REDACTED]
[REDACTED]

RE: SHENANGO PRESBYTERIAN HOME
238 SOUTH MARKET STREET
NEW WILMINGTON, PA, 16142
LICENSE/COC#: 44034

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 07/14/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: SHENANGO PRESBYTERIAN HOME License #: 44034 License Expiration: 11/03/2026
Address: 238 SOUTH MARKET STREET, NEW WILMINGTON, PA 16142
County: LAWRENCE Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: SHENANGO PRESBYTERIAN SENIORCARE
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-1 Date: 02/05/1968 Issued By: Dept L&I
Type: C-1 Date: 08/12/1977 Issued By: Dept L&I

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 47 Waking Staff: 35

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Incident Exit Conference Date: 07/14/2026

Inspection Dates and Department Representative

07/14/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 46 Residents Served: 35

Secured Dementia Care Unit

In Home: Yes Area: Woodside Capacity: 14 Residents Served: 9

Hospice

Current Residents: 1

Number of Residents Who:

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 35
Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
Have Mobility Need: 12 Have Physical Disability: 0

Inspections / Reviews

07/14/2026 Partial

Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND