

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

August 5, 2026

[REDACTED]
MON YOUGH COMMUNITY SERVICES INC

[REDACTED]
ATTN: AMBER VASH
[REDACTED]

RE: UPMC WESTERN BEHAVIORAL
HEALTH AT MON YOUGH
624 LYSLE BLVD
MCKEESPORT, PA, 15132
LICENSE/COC#: 43003

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 07/21/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: UPMC WESTERN BEHAVIORAL HEALTH AT MON YOUGH

License #: 43003

License Expiration: 09/18/2026

Address: 624 LYSLE BLVD, MCKEESPORT, PA 15132

County: ALLEGHENY

Region: WESTERN

Administrator

Name:

Phone:

Email:

Legal Entity

Name: MON YOUGH COMMUNITY SERVICES INC

Address:

Phone:

Email:

Certificate(s) of Occupancy

Type: C-2 LP

Date: 03/28/2001

Issued By: Labor and Industry

Type: I-2

Date: 06/25/1999

Issued By: City of McKeesport

Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 26

Waking Staff: 20

Inspection Information

Type: Partial

Notice: Unannounced

BHA Docket #:

Reason: Complaint, Incident

Exit Conference Date: 07/21/2026

Inspection Dates and Department Representative

07/21/2026 - On-Site:

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 27

Residents Served: 26

Secured Dementia Care Unit

In Home: No

Area:

Capacity:

Residents Served:

Hospice

Current Residents: 0

Number of Residents Who:

Receive Supplemental Security Income: 26

Are 60 Years of Age or Older: 12

Diagnosed with Mental Illness: 26

Diagnosed with Intellectual Disability: 6

Have Mobility Need: 0

Have Physical Disability: 0

Inspections / Reviews

07/21/2026 - Partial

Lead Inspector:

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND