

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

August 10, 2026

[REDACTED]
GAHC3 BOYERTOWN PA ALF TRS SUB LLC

[REDACTED]
HERITAGE SENIOR LIVING
[REDACTED]

RE: CHESTNUT KNOLL
120 WEST FIFTH STREET
BOYERTOWN, PA, 19512
LICENSE/COC#: 22613

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 07/22/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: CHESTNUT KNOLL

License #: 22613

License Expiration: 06/30/2027

Address: 120 WEST FIFTH STREET, BOYERTOWN, PA 19512

County: BERKS

Region: NORTHEAST

Administrator

Name:

Phone:

Email:

Legal Entity

Name: GAHC3 BOYERTOWN PA ALF TRS SUB LLC

Address:

Phone:

Email:

Certificate(s) of Occupancy

Type: C-2 LP

Date: 11/10/1999

Issued By: DLI

Staffing Hours

Resident Support Staff:

Total Daily Staff: 110

Waking Staff: 83

Inspection Information

Type: Partial

Notice: Unannounced

BHA Docket #:

Reason: Complaint, Incident

Exit Conference Date: 07/22/2026

Inspection Dates and Department Representative

07/22/2026 - On-Site:

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 119

Residents Served: 58

Secured Dementia Care Unit

In Home: Yes

Area: SDCU

Capacity: 52

Residents Served: 48

Hospice

Current Residents: 13

Number of Residents Who:

Receive Supplemental Security Income: 0

Are 60 Years of Age or Older: 106

Diagnosed with Mental Illness: 0

Diagnosed with Intellectual Disability: 0

Have Mobility Need: 52

Have Physical Disability: 0

Inspections / Reviews

07/22/2026 Partial

Lead Inspector:

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND