

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

August 27, 2026

[REDACTED]
VALLEY VIEWS COMFORT CARE LLC
[REDACTED]

RE: VALLEY VIEWS COMFORT CARE
1619 LISTONBURG ROAD
CONFLUENCE, PA, 15424
LICENSE/COC#: 34068

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 08/18/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: VALLEY VIEWS COMFORT CARE

License #: 34068

License Expiration: 11/24/2026

Address: 1619 LISTONBURG ROAD, CONFLUENCE, PA 15424

County: SOMERSET

Region: CENTRAL

Administrator

Name: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Legal Entity

Name: VALLEY VIEWS COMFORT CARE LLC

Address: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Certificate(s) of Occupancy

Type: Other

Date: 09/17/1986

Issued By: Department of Labor and Industry

Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 19

Waking Staff: 14

Inspection Information

Type: Partial

Notice: Unannounced

BHA Docket #:

Reason: Complaint

Exit Conference Date: 08/18/2026

Inspection Dates and Department Representative

08/18/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 18

Residents Served: 18

Secured Dementia Care Unit

In Home: No

Area:

Capacity:

Residents Served:

Hospice

Current Residents: 2

Number of Residents Who:

Receive Supplemental Security Income: 18

Are 60 Years of Age or Older: 16

Diagnosed with Mental Illness: 16

Diagnosed with Intellectual Disability: 7

Have Mobility Need: 1

Have Physical Disability: 2

Inspections / Reviews

08/18/2026 Partial

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND