

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

September 4, 2026

[REDACTED]
BALL PAVILION INC
[REDACTED]
[REDACTED]

RE: BARNABAS COURT AT BREVILLIER
VILLAGE
5416 EAST LAKE ROAD
ERIE, PA, 16511
LICENSE/COC#: 45306

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 08/19/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: BARNABAS COURT AT BREVILLIER VILLAGE

License #: 45306

License Expiration: 12/08/2026

Address: 5416 EAST LAKE ROAD, ERIE, PA 16511

County: ERIE

Region: WESTERN

Administrator

Name:

Phone:

Email:

Legal Entity

Name: BALL PAVILION INC

Address:

Phone:

Email:

Certificate(s) of Occupancy

Type: C-2 LP

Date: 11/16/1989

Issued By: Dept. of Labor & Industry

Type: I-2

Date: 02/22/2018

Issued By: Harborcreek Township

Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 81

Waking Staff: 61

Inspection Information

Type: Partial

Notice: Unannounced

BHA Docket #:

Reason: Complaint, Incident

Exit Conference Date: 08/19/2026

Inspection Dates and Department Representative

08/19/2026 - On-Site:

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 120

Residents Served: 49

Secured Dementia Care Unit

In Home: Yes

Area: North

Capacity: 60

Residents Served: 32

Hospice

Current Residents: 3

Number of Residents Who:

Receive Supplemental Security Income: 0

Are 60 Years of Age or Older: 49

Diagnosed with Mental Illness: 2

Diagnosed with Intellectual Disability: 1

Have Mobility Need: 32

Have Physical Disability: 0

Inspections / Reviews

08/19/2026 Partial

Lead Inspector:

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND