

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

August 21, 2026

[REDACTED]
JUNIPER VILLAGE AT LEBANON LLC
[REDACTED]

RE: JUNIPER VILLAGE AT LEBANON I
1125 BIRCH ROAD
LEBANON, PA, 17042
LICENSE/COC#: 33005

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 08/20/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: JUNIPER VILLAGE AT LEBANON I

License #: 33005

License Expiration: 03/14/2027

Address: 1125 BIRCH ROAD, LEBANON, PA 17042

County: LEBANON

Region: CENTRAL

Administrator

Name: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Legal Entity

Name: JUNIPER VILLAGE AT LEBANON LLC

Address: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP

Date: 05/17/2019

Issued By: Labor and Industry

Type: C-2 LP

Date: 11/12/2018

Issued By: Labor and Industry

Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 63

Waking Staff: 47

Inspection Information

Type: Partial

Notice: Unannounced

BHA Docket #:

Reason: Incident

Exit Conference Date: 08/20/2026

Inspection Dates and Department Representative

08/20/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 70

Residents Served: 56

Secured Dementia Care Unit

In Home: No

Area:

Capacity:

Residents Served:

Hospice

Current Residents: 1

Number of Residents Who:

Receive Supplemental Security Income: 0

Are 60 Years of Age or Older: 56

Diagnosed with Mental Illness: 0

Diagnosed with Intellectual Disability: 0

Have Mobility Need: 7

Have Physical Disability: 2

Inspections / Reviews

08/20/2026 Partial

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND