

Department of Human Services
Office of Children, Youth and Families
Licensing Inspection Summary - Public
55 PA.CODE CHAPTER 3800

September 16, 2026

[REDACTED], COMPLIANCE CASEWORKER
ADELPHOI VILLAGE INC
1119 VILLAGE WAY
LATROBE, PA, 15650

RE: LA SA QUIK
651 SAINT MICHAELS ROAD
COGAN STATION, PA, 17728
LICENSE/COC#: 32912

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Office of Children, Youth and Families licensing inspections on of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Office of Children, Youth and Families

Agency/Facility Information

Name: LA SA QUIK

License Number: 32912

Address: 651 SAINT MICHAELS ROAD, COGAN STATION, PA 17728

License Expiration: 01/25/2027

County: LYCOMING

Administrator

Name: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Legal Entity

Name: ADELPHOI VILLAGE INC

Address: 1119 VILLAGE WAY, LATROBE, PA, 15650

Phone: [REDACTED]

Email: [REDACTED]

Inspection Information

Start Date: 08/26/2026

End Date: 08/26/2026

Type: Renewal

Notice: Announced Visit

Inspector(s): [REDACTED]

Inspection Narrative

The Department of Human Services, Central Region Office of Children, Youth and Families conducted an annual licensing inspection of Adelphoi Village, INC La Sa Quik on August 26, 2026, for the licensing year extending from January 25, 2026, through January 25, 2027. During the inspection Department staff reviewed 1 of 1 newly hired personnel record, 17 of 17 tenured personnel records, and 3 of 24 child records. Departmental staff reviewed all pre inspection documents, including fire drills, to measure compliance. During the inspection, Department staff conducted a physical site walkthrough. 2 staff members and 2 children were interviewed.

No areas of noncompliance were found.

Inspections / Reviews

08/26/2026 Renewal

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND